

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((("5577249") or ("6691109") or ("6633817") or ("20040059721") or ("6714874")).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/10 13:04
L2	5	L1 and (computer or desktop or lcd )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:04
L3	2	L1 and (media or medium )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:46
L4	2	L1 and (network )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:53
L5	2	"5577249".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L6	9666	sequence with (first and second) WITH group	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L7	336	(divid\$10) with sequence with (first and second) WITH group	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L8	27	(divid\$10) with sequence with (first and second) WITH group and (target with sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L9	23	(divid\$10) with sequence with (first and second) WITH group and (target NEAR5 sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L10	4	(divid\$10) with sequence with (first and second) WITH group and (divid \$10 with target NEAR5 sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L11	0	(divid\$10) with sequence with (first and second) WITH group and (divid \$10 with database NEAR5 sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L12	131	(divid\$10) with sequence with (first and second) WITH group and (divid \$10 NEAR5 sequence with group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L13	1	(divid\$10 NEAR5 database NEAR sequence with group)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L14	2	"6691109".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L15	2	"20020194173".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L16	2	"5577249".pn. and tuple	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L17	2	"6304868".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L18	12	((partition\$10 or divid \$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L19	1	((partition\$10 or divid\$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) and 702/20.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L20	7	((partition\$10 or divid\$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) and 707/1-6,10.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L21	67	(divid\$10 or partition\$10 or split\$10) with (string or sequence) with (first and second) WITH (cluster\$10 or group\$10 or set or sub\$2set) and ((database or target) NEAR5 sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L22	13	((partition\$10 or divid\$10 or split\$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L23	257	((partition\$10 or divid\$10 or split\$10 or break\$10) NEAR5 (sequence) with ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L24	135	((partition\$10 or divid\$10 or split\$10 or break\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L25	12	((partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5)) and ("702"/\$.ccls. or "707"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L26	182	((partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub\$2set or cluster\$5 or group\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L27	215	(sequenc\$10 NEAR5 search\$10) and ((divid \$10 or break\$10 or split \$10 or seperat\$10 or partition\$10) NEAR3 (string or sequence) NEAR3 (group or cluster or set or seb\$2set or sub \$2group))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L28	74	(sequenc\$10 NEAR5 search\$10) and ((divid \$10 or break\$10 or split \$10 or seperat\$10 or partition\$10) NEAR3 (string or sequence) NEAR3 (group or cluster or set or seb\$2set or sub \$2group)) and ("707"/\$.ccls. or "702"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L29	3	((("6633817") or ("5577249") or ("6691109")).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/10 15:57
L30	2	L29 and ((cluster or group \$10 or set) with (sub \$2string or sub\$2group or partition))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L31	8878	(multiple with sequence with alignment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L32	7299	(multiple with sequence with alignment) and (sequence NEAR5 (group or set or sub\$2set or cluster))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L33	5779	(multiple with sequence with alignment) and (sequence NEAR5 (group or set or sub\$2set or cluster)) and ((partition \$10 or divid\$10 or portion or break\$10) NEAR5 sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L34	5805	(multiple with sequence with (exact or inexact or alignment)) and (sequence NEAR5 (group or set or sub\$2set or cluster)) and ((partition \$10 or divid\$10 or portion or break\$10) NEAR5 sequence)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L35	1	("20050067848").PN.	US-PGPUB; USPAT	OR	OFF	2008/09/10 15:57
L36	24	(distribution or divid\$10) NEAR3 sequence with ("same") with portion	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L37	16970	(divid\$10) NEAR3 sequence	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L38	6797	((DNA or protein or acid or nucl\$13) sequence) AND (divid\$10) NEAR3 sequence	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L39	51	((DNA or protein or acid or nucl\$13) sequence) AND ( (partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub \$2set or cluster\$5 or group\$5))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L40	23	((DNA or protein or acid or nucl\$13) sequence) AND ( (partition\$10 or divid\$10 or split\$10 or break\$10 or distribut\$10) NEAR5 (sequence) near5 ((first and second) or different or another or other) NEAR4 (set or sub \$2set or cluster\$5 or group\$5)) and parallel	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L41	276	(distribution search\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L42	983	(distribut\$10 search\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L43	0	(distribut\$10 search\$10) and (sub\$2query NEAR3 search\$10 with different)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L44	0	(distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) with (sequence or query or string) NEAR\$10 different)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L45	345	(distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) with (sequence or query or string))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L46	178	(distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) NEAR3 (sequence or query or string))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L47	45	(distribut\$10 search\$10) and ((partiton\$10 or split \$10 or divid\$10 or break \$10 or distribut\$10) NEAR3 (sequence or string))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L48	3848	("n+1" or "s+1" or "p+1") with (sequence or string)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L49	232	((DNA or protein or acid or nucl\$13) sequence) and ("n+1" or "s+1" or "p+1") with (sequence or string)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L50	19	((DNA or protein or acid or nucl\$13) sequence) and ("n+1" or "s+1" or "p+1") with (sequence or string)with (partition\$10 or divid\$10 or split\$10 or break\$10 or portion or distribut\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L51	8	("20030125988"   "20030135124"   "5544281"   "5724262"). PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L52	2	"5832496".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L53	0	(sequence search) and ( sub\$2sequence with "into groups" OR "into different groups")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L54	0	(sequence WITH search) and ( sub\$2sequence with "into groups" OR "into different groups")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L55	0	(sequence WITH search) and ( sub\$2sequence with ("into groups" OR "into different groups"))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L56	0	(sequence WITH search) and ( sub\$2sequence with ( (into NEAR2 groups) OR (into NEAR2 different NEAR2 groups) ) )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L57	0	"5297281".pn. and (sequence into groups )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L58	2	"5297281".pn. and (sequence NEAR2 groups )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L59	450	(divid\$10 or break\$10 or split\$10 or seperat\$10 or partition\$10) NEAR3 (sequence NEAR2 groups )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L60	3	(divid\$10 or break\$10 or split\$10 or seperat\$10 or partition\$10) NEAR3 ( (target or reference or original) NEAR2 sequence NEAR2 groups )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L61	2	(divid\$10 or break\$10 or split\$10 or seperat\$10 or partition\$10) NEAR3 ( (target or reference or original) NEAR2 (DNA) NEAR2 groups )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L62	731	(sequence with search \$10).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L63	45	(sequence with search \$10).ti. and ( (partition \$10 or divid\$10 or split \$10 or break\$10) NEAR5 (sequence or string or sub \$2sequence or sub \$2string) )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L64	13	(sequence with search \$10).ti. and ( (partition \$10 or divid\$10 or split \$10 or break\$10) NEAR5 (sequence or string or sub \$2sequence or sub \$2string) with (set or sub \$2set or cluster\$5 or group\$5) )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57



L65	25960	(sequence with search \$10) and (exclusive OR operation )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L66	182	(sequence with search \$10) and ("exclusive OR operation" )	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L67	838	(sequence with search \$10) and ("exclusive OR operation" or "XOR")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L68	123	(sequence with search \$10) and ("exclusive OR operation" or "XOR") same (mismatch or match or exact)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L69	9	((DNA or protein or acid or nucl\$13) sequence) and (sequence with search\$10) and ("exclusive OR operation" or "XOR") same (mismatch or match or exact)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L70	10	((("20040059721") or ("6691109") or ("6633817") or ("20030104408") or ("20020194173") or ("20020034791") or ("6304868") or ("20010010903") or ("6047109") or ("9105748") or ("5577249")).PN.	US-PGPUB; USPAT	OR	OFF	2008/09/10 15:57
L71	2	L70 and (index\$10 same table)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L72	2	((DNA or protein or acid or nucl\$13) sequence) and (sequence with search\$10) and (concurrent\$6 same table same (first and second))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L73	18	(sequence with search \$10) and (concurrent\$6 with table same (first and second))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L74	634	(sequence with search \$10) and ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub \$2string or record) with table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L75	151	(sequence with search \$10) and ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub \$2string or record) with table with (identif\$10 or mark)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L76	2	(sequence with search \$10) and ("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub \$2string or record) with (both or two or other or another) NEAR2 table with (identif\$10 or mark)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L77	0	("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub\$2string or record) NEAR5 "in" NEAR2 (both or two or other or another) NEAR2 table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L78	13	("same" or exact) NEAR2 (query or sub\$2sequence or sequence or string or sub\$2string or record) NEAR5 (both or two or other or another) table	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L79	5	L70 and (binary)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L80	0	L70 and (binary) with encod\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57

L81	5	L70 and (binary)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L82	5	L70 and (scramb\$10 or cod\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L83	0	L70 and (prefixes and suffixes and hash\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L84	17	(sequence search\$10) and (prefixes and suffixes and hash\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L85	7	(sequence search\$10) and (sequence with (prefixes and suffixes)) and hash\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 15:57
L86	3	((partition\$10 or divid \$10) NEAR5 database NEAR (string or sequence) with (set or sub\$2set or cluster\$5 or group\$5)) and 702/19,20. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 17:12
L88	10	(divid\$10 or partition\$10 or split\$10) with (string or sequence) with (first and second) WITH (cluster\$10 or group\$10 or set or sub\$2set) and ((database or target) NEAR5 sequence) and 702/19,20.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 17:12

9/10/2008 5:15:17 PM

C:\Documents and Settings\yzhao\My Documents\EAST\Workspaces\10585842.wsp